
Antares 10' x 20' Truss System Dye Sub Printed



TEMPLATE IS @ 1/2 SCALE

Panels AT-1 and AT-6:

Total Graphic Area: 29.75" w x 87.75"h

Finished Size: 25.75"w x 83.75"h

Panels AT-2 and AT-5:

Total Graphic Area: 42.125"w x 87.75"h

Finished Size: 38.125"w x 83.75"h

Panels AT-3 and AT-4:

Total Graphic Area: 51.75"w x 87.75"h

Finished Size: 47.75"w x 83.75"h

Panels AT-7 and AT-8:

Total Graphic Area: 86.5"w x 10"h

Finished Size: 82.5"w x 6"h

Template requires 1" bleed around the perimeter (2" around the perimeter when scaled to 200% and printed)

FS = Graphic is front side mounted (3/4" w velcro is applied to the back of the panel)

BS = Graphic is back side mounted (3/4"w velcro is applied to the front of the panel)

Notching = 7/8" square that is cut into the appropriate location.

Hinging= 3/4" strip of material that is created by notching the graphic. Allows two graphics to share the same extrusion corner.

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 200-240 ppi @
 1/2 size, 100-120ppi @ 100% size
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print

BS OR-G-AT1

bleed area

— trim line

gray area will be obstructed once finished and mounted

FSOR-G-AT7

FSOR-G-AT8