


**Corvus**  
**20' x 20' Truss System**  
**Dye Sub Printed**



**TEMPLATE IS @ 1/4 SCALE**

Panels CV1 and CV10:

Total Graphic Area: 47" w x 87.75" h

Finished Size: 43" w x 83.75" h

Panels CV2 and CV11:

Total Graphic Area: 42.125" w x 87.75" h

Finished Size: 38.125" w x 83.75" h

Panels CV3, CV4, CV12, CV13:

Total Graphic Area: 43.5" w x 87.75" h

Finished Size: 39.5" w x 83.75" h

Panels CV5, CV6, CV14, CV15:

Total Graphic Area: 43.5" w x 94" h

Finished Size: 39.5" w x 90" h

Panels CV7 and CV16:

Total Graphic Area: 101.75" w x 41.75" h

Finished Size: 97.75" w x 37.75" h

Panels CV8, CV9, CV17, CV18:

Total Graphic Area: 78.75" w x 41.75" h

Finished Size: 74.75" w x 37.75" h

Template requires 1" bleed around the perimeter (2" around the perimeter when scaled to 200% and printed)

FS = Graphic is front side mounted  
(3/4" w velcro is applied to the back of the panel)

BS = Graphic is back side mounted  
(3/4" w velcro is applied to the front of the panel)

Notching = 7/8" square that is cut into the appropriate location.

Hinging = 3/4" strip of material that is created by notching the graphic. Allows two graphics to share the same extrusion corner.

**General Art Guidelines:**

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 400-480 ppi @ 1/4 size, 100-120ppi @ 100% size
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print

**FS**

**OR-G-CV1**

— bleed area

— trim line

**FS**  
**OR-G-CV2**

**BS**  
**OR-G-CV3**

**BS**  
**OR-G-CV4**

gray area will be  
obstructed once  
finished —  
and mounted

**BS**  
**OR-G-CV5**

**BS**  
**OR-G-CV6**

**FS**

**OR-G-CV7**

panel is notched  
on top right corner  
and bottom  
left and right side.

**BS**

**OR-G-CV8**



**BS**

**OR-G-CV9**

**FS**  
**OR-G-CV10**

**FS**

**OR-G-CV11**

**BS**  
**OR-G-CV12**

gray area will be  
obstructed once  
finished —  
and mounted

**BS**

**OR-G-CV13**

**BS**  
**OR-G-CV14**

**BS**  
**OR-G-CV15**

**FS**

**OR-G-CV16**

panel is notched  
on top left corner  
and bottom  
left and right side.



**BS**

**OR-G-CV17**

**BS**

**OR-G-CV18**