


Orbea
10' x 20' Truss System
Dye Sub Printed



TEMPLATE IS @ 1/2 SCALE

Panels OB1 and OB5:

Total Graphic Area: 47" w x 87.75" h

Finished Size: 43" w x 83.75" h

Visual Size: 41" w x 81.75" h

Panels OB2 and OB4:

Total Graphic Area: 29.75" w x 87.75" h

Finished Size: 25.75" w x 83.75" h

Visual Size: 23.75" w x 81.75" h

Panel OB3:

Total Graphic Area: 136.75" w x 87.75" h

Finished Size: 132.75" w x 83.75" h

Visual Size: 132.75" w x 83.75" h

Template requires 1" bleed around the perimeter (2" around the perimeter when scaled to 200% and printed)

FS = Graphic is front side mounted
(3/4" w velcro is applied to the back of the panel)

BS = Graphic is back side mounted
(3/4" w velcro is applied to the front of the panel)

Notching = 7/8" square that is cut into the appropriate location.

Hinging = 3/4" strip of material that is created by notching the graphic. Allows two graphics to share the same extrusion corner.

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 200-240 ppi @ 1/2 size, 100-120ppi @ 100% size
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print

BS
OR-G-OB1

— bleed area

— trim line

BS

OR-G-OB2

FS
OR-G-OB3

panel is notched
on all four
corners

BS

OR-G-OB4

BS

OR-G-OB5

gray area will
be obstructed
once finished
and mounted